

# **COMPANY BROCHURE**









# **☑** WBR ENERGIES (SAS)

WE ARE AN ENGINEERING COMPANY AND EQUIPMENT SUPPLIER SPECIALIZED IN PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES DEDICATED TO ENERGY INDUSTRIES.

## **ABOUT US:**


WBR ENERGIES offers innovative solutions to support customers through complete life cycle of their projects, from Conceptual Studies and Detailed Engineering, to Custom Manufacturing, Testing and Certification.


Leading by our engineering expertise, we are focused on increase projects performances by offering a high quality of products and services to optimize costs and lead times.











# COMPANY PRESENTATION **EXPERTISE**

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# **☑** EXPERTISE

WBR ENERGIES PROVIDES INNOVATIVE SERVICES AND PRODUCTS FOR THE ENERGY INDUSTRIES

☑ HIGH PRESSURE CONNECTORS

✓ SPECIAL PIPING COMPONENTS

☑ CUSTOM DESIGNED STEEL STRUCTURES

✓ PIPING, FITTINGS & ACCESSORIES

OIL AND GAS: SUBSEA / OFFSHORE / ONSHORE

LIQUIFIED NATURAL GAS (LNG)

**PETROCHEMICAL** 


**NUCLEAR POWER** 

MARINE RENEWABLE / HYDROGEN INDUSTRY

**BIOGAS - HYDROELECTRIC** 










# COMPANY PRESENTATION EXPERTISE

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES









# **COMPANY PRESENTATION OUR LOCATIONS**

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# **OUR LOCATIONS**

WE ARE OFFERING HIGH QUALITY OF SERVICES AND PRODUCTS FOR CUSTOMERS WORLDWIDE

## **☑** WBR ENERGIES - FRANCE

**Head Office:** L'Espace Inneos 1401 Avenue de la Grande Halle 78200 Buchelay, France



+33 (0) 1 82 36 00 33




contact@wbr-energies.com












# COMPANY PRESENTATION WHO WE ARE

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# **OUR MANAGEMENT TEAM**


WE ARE A TEAM OF SPECIALISTS WITH SEVERAL YEARS OF INDUSTRY EXPERIENCE, PROVIDING HIGH QUALITY OF SERVICES AND PRODUCTS TO OUR PARTNERS ON THE ENERGY MARKET.





Engineering, Project Management





Engineering, Project Management




Commercial, Engineering, Project Management


# **COMPANY PRESENTATION**

**OUR WORKING PROCESS** 

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# **OUR WORKING PROCESS**











# **OUR SERVICES**










# **OUR SERVICES**

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

**DESIGN & ENGINEERING** 



PROJECT MANAGEMENT



**CUSTOM MANUFACTURING** 





**TESTING & CERTIFICATION** 











# **OUR SERVICES DESIGN & ENGINEERING**

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# **DESIGN & ENGINEERING**

ANALYSIS OF HIGH PRESSURE EQUIPMENT

STRUCTURAL ANALYSIS – FEA CALCULATION

FLUID MECHANICS ANALYSIS


DESIGN - 3D MODELING / 2D DRAFTING

**EQUIPMENT TECHNICAL SPECIFICATIONS** 

- ✓ AUTODESK INVENTOR®
- NASTRAN® / ROBOT® / AUTODESK CFD®
- ✓ ABAQUS® (under request)









# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# ANALYSIS OF HIGH PRESSURE EQUIPMENT

## **DESIGN AND ANALYSIS OF:**


FLANGED JOINTS - CLAMPED CONNECTIONS - FLANGES - PIPING & FITTINGS - WELDED JOINTS - NOZZLES - PULLING HEADS - SPECIAL PIPING COMPONENTS

## CODES:

- ASME VIII Div 2 / ASME VIII Div 1 / ASME B31.3 / API 16A / API 6A
- DNVGL-RP-D101 / DNV-OS-F101 / EN13445 / CODAP

#### **ANALYSIS:**


- ALLOWABLE DESIGN STRESSES DEFINITION
- ELASTIC / ELASTIC-PLASTIC STRESS ANALYSIS
- CHECK AGAINST PLASTIC COLLAPSE / LOCAL FAILURE / BUCKLING / FATIGUE



- ✓ AUTODESK INVENTOR®
- ✓ NASTRAN®
- ✓ ABAQUS® (under request)









# STRUCTURAL ANALYSIS – FEA CALCULATIONS

## **DESIGN AND ANALYSIS OF:**


CUSTOM STEEL STRUCTURES - FRAMES - PLATFORMS - STRUCTURAL CLAMPS - PIPE SPOOLS - LIFTING EQUIPMENT - SEAFASTENING

## CODES:

- DNVGL-RP-D101 / DNVGL-OS-C101 / DNV-RP-C205 / DNV-RP-C203 / ...
- API RP 2RD / API 2A-WSD / AISC / EUROCODES

#### **ANALYSIS:**


- ALLOWABLE DESIGN STRESSES DEFINITION
- ELASTIC / ELASTIC-PLASTIC STRESS ANALYSIS
- CHECK AGAINST PLASTIC COLLAPSE / LOCAL FAILURE / BUCKLING / FATIGUE
- INSTALLATION ANALYSIS: LIFTING / LOAD OUT / LOWERING / ...
- TRANSPORTATION AND SEAFASTENING ANALYSIS



- ✓ AUTODESK INVENTOR®
- NASTRAN® / ROBOT®
- ABAQUS® (under request)









# **OUR SERVICES DESIGN & ENGINEERING**

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# FLUID MECHANICS ANALYSIS

## **DESIGN AND ANALYSIS OF:**


FLANGED JOINTS - CLAMPED CONNECTIONS - CONTROL VALVES - NOZZLES -ORIFICE PLATES - ANTI-BACKFLOW VALVES - FITTINGS AND PIPING

### CODES:

- IEC 60534 / AISI-FCI 70-2
- ASME MFC-3M / ISO 5167 / ASME PTC 19.5

## **ANALYSIS:**


- FLUID FLOW CALCULATION
- FLOW COEFFICIENT EVALUATION
- SEAT LEAKAGE CALCULATION
- LOCAL PRESSURE LOSS EVALUATION
- HEAT TRANSFER



- ✓ AUTODESK INVENTOR®
- AUTODESK CFD®
- ✓ ABAQUS® (under request)









# OUR SERVICES DESIGN & ENGINEERING

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# **EQUIPMENT TECHNICAL SPECIFICATIONS**

- DETAILED DRAWINGS
- DESIGN REPORTS / TECHNICAL DATASHEETS
- INSPECTION & TESTING PLAN
- MANUFACTURING PROCEDURE SPECIFICATION
- FACTORY ACCEPTANCE TESTING PROCEDURES
- DIMENSIONAL CONTROL PROCEDURES
- MANUFACTURING FINAL DOSSIER


# DESIGN – 3D MODELING / 2D DRAFTING

- 3D MODELS
- 2D DRAFTING: GENERAL ARRANGEMENT / DETAILED DRAWINGS
- FABRICATION AND AS-BUILT DRAWINGS
- INSTALLATION & TRANSPORTATION LAYOUTS
- ISOMETRIC PLANS

- ✓ AUTODESK INVENTOR®
- AUTODESK AUTOCAD®









# OUR SERVICES PROJECT MANAGEMENT

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# PROJECT MANAGEMENT

**CONCEPTUAL & FEED STUDIES** 

**DETAILED ENGINEERING** 

**EQUIPMENT DATASHEETS** 

**MATERIAL PROCUREMENT** 

**CUSTOM MANUFACTURING** 


**INSPECTION & TESTING** 

THIRD PARTY CERTIFICATION









# **OUR SERVICES CUSTOM MANUFACTURING**

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# **CUSTOM MANUFACTURING**

## FORGING & HEAT TREATMENT

Forging and Heat Treatment process is carried out in accordance with customer material specifications and following requirements of International.

ASTM A694 / ASTM A350 / ASTM A-707 / ASTM A105 / ASTM A322 / ASTM A182 ....

# PRECISION MACHINING

All parts are machined according to customer design specifications and following dimensional requirements from International Design Codes.

Turning / Drilling / Boring / Reaming / Milling / Planning / Broaching ...

## WELDING & FABRICATION OF STEEL STRUCTURES

Custom Steel Structures are fabricated in accordance with customer specifications and following requirements of International Construction Codes.

Cutting / Rolling / Bending / Machining

GTAW (TIG) / GMAW (MIG/MAG) / FCAW / WELD OVERLAY














# **OUR SERVICES TESTING & CERTIFICATION**

# PIPING EQUIPMENT AND CUSTOM STEEL STRUCTURES

# **TESTING & CERTIFICATION**

**HYDROSTATIC TESTING** 

PRESSURE TESTS

**LEAK TESTING** 

LOAD TESTS

FIT UP & ASSEMBLY TESTS


☑ All products can be fully certified by a Third Party Authority: DNV® / Lloyd's Register® / Bureau Veritas ® / Apave® / ...




















PIPING EQUIPMENT

# **CUSTOM MADE PRODUCTS**



**SWIVEL RING FLANGES** 




HIGH PRESSURE CONNECTORS














PIPING EQUIPMENT

# **CUSTOM MADE PRODUCTS**








**CLAMPS & HUBS - API 16A** 















# **CUSTOM DESIGNED STEEL STRUCTURES**


# **CUSTOM MADE PRODUCTS**












**CUSTOM STEEL STRUCTURES** 











# **DISTRIBUTION**

# **DISTRIBUTION & ACCESSORIES**





**STANDARD FLANGES** 









# ACCESSORIES

# **DISTRIBUTION & ACCESSORIES**





**SPECTACLE BLINDS & SPADES** 






**RING JOINT GASKETS** 









# PRODUCTS DATASHEETS











# SWIVEL RING FLANGES

# PIPING EQUIPMENT



**DESIGN & ENGINEERING** 



**CUSTOM MANUFACTURING** 



**TESTING & CERTIFICATION** 



# **CUSTOM-MADE PRODUCTS**

#### **TYPES**

SWIVEL RING FLANGES ASME B16.5 / ASME B16.47 SWIVEL RING FLANGES API 17D

#### SIZES & RATING

ASMF B16.5 / B16.47 4in to 60in - Class 150 to 2500 API 17D 2 1/16in to 13 5/8in - 2000 PSI to 20000 PSI

#### **DESIGN CODES**

Pipe Flanges and Flanged Fittings **ASME B16.5** Large Diameter Steel Flanges **ASMF B16.47** 

**API 17D** Specification for Subsea Wellhead and Tree Equipment

Rules for Construction of Pressure Vessels **ASME VIII Div 2** 

#### **MATERIALS**

ASTM A694 F42 / F52 / F60 / F65 / F70 ASTM A350 LF2 Classes 1 and 2 / LF1 to LF9


ASTM A105


API 6A 36K / 45K / 60K / 75K ASTM A182 F316 / 316L / F304 / 304L

F51 / F53 / F55 / F5 / F9 / F11 / F22 / F91 ASTM A182 ASME IX / DNV-0S-F101 Corrosion Resistance Overlay (Cladding) **SPECIALS DUPLEX / INCONEL® / SUPER DUPLEX** 











# HIGH PRESSURE CONNECTORS

# PIPING EQUIPMENT





**DESIGN & ENGINEERING** 



**CUSTOM MANUFACTURING** 



**TESTING & CERTIFICATION** 



**TYPES** 

HIGH PRESSURE CONNECTORS for Hydraulic and Pneumatic applications Custom designed according to customer technical requirements

SIZES & RATING

2in to 10in – Maximal Working Pressure 100 bar (for o-rings sealing interface solution) Other sizes and pressure rating under request

**DESIGN CODES** 

ASME VIII Div 2 Rules for Construction of Pressure Vessels

API 6A Specification for Subsea Wellhead and Tree Equipment

LF2 Classes 1 and 2 / LF1 to LF9

API 16A Specification for Drill-through Equipment

ISO 3601 Fluid Power Systems — 0-rings

EN 13445 Unfired pressure vessels

DNVGL-RP-D101 Structural analysis of piping systems

ASME B31.3 Process Piping

**MATERIALS** 

ASTM A694 F42 / F52 / F60 / F65 / F70

ASTM A350 ASTM A105


API 6A 36K / 45K / 60K / 75K


ASTM A182 F316 / 316L / F304 / 304L

ASTM A182 F51 / F53 / F55 / F9 / F11 / F22 / F91
SPECIALS DUPLEX / INCONEL ® / SUPER DUPLEX









# **PULLING & HANDLING HEADS**


# PIPING EQUIPMENT

# **CUSTOM-MADE PRODUCTS**





#### **DESIGN & ENGINEERING**



**CUSTOM MANUFACTURING** 



**TESTING & CERTIFICATION** 



#### **TYPFS**

PULLING and HANDLING HEADS

ASME B16.5 / ASME B16.47 / API 6A / NORSOK L-005 / O-Ring Seal Solution

#### SIZES & RATING

ASMF B16.5 / B16.47 4in to 60in - Class 150 to 2500

API 6A 1 13/16in to 21 1/4in - 2000 PSI to 20000 PSI

4in to 48in - Class 150 to 2500 NORSOK L-005

O-Rings Seal Solution (maximal working pressure 100 bar) ISO 3601

#### **DESIGN CODES**

ASME VIII Div 2 Rules for Construction of Pressure Vessels

API 6A Specification for Subsea Wellhead and Tree Equipment

**ASMF B16.5** Pipe Flanges and Flanged Fittings Large Diameter Steel Flanges **ASME B16.47** NORSOK L-005 **Compact Flanged Connections** ISO 3601 Fluid Power Systems – O-Rings

#### **MATERIALS**

ASTM A694 F42 / F52 / F60 / F65 / F70

ASTM A350 LF2 Classes 1 and 2 / LF1 to LF9


ASTM A105

API 6A 36K / 45K / 60K / 75K ASTM A182 F316 / 316L / F304 / 304L

ASTM A182 F51 / F53 / F55 / F5 / F9 / F11 / F22 / F91 **SPECIALS DUPLEX / INCONEL® / SUPER DUPLEX** 










# CLAMPS & HUBS - API 16A

# PIPING EQUIPMENT



# **TYPES**

CLAMPS and HUBS as per API 16A / API 6A

Hubs are available as Weld Neck, Integral & Blinds. Rings Joints Type: BX and RX

#### SIZES & RATING

CLAMPS	Clamp N°1 to Clamp N°28 – 2000 PSI to 20000 PSI
HUBS	1 13/16in to 21 1/4in - 2000 PSI to 20000 PSI

**CUSTOM-MADE PRODUCTS** 

#### **DESIGN CODES**


API 16A	Specification for Drill Through Equipment
API 6A	Specification for Subsea Wellhead and Tree Equipment
ASME VIII Div 2	Rules for Construction of Pressure Vessels

#### **MATERIALS**

API 6A	36K / 45K / 60K / 75K
AISI	4130 / 4140
SPECIALS	DUPLEX / INCONEL ® / SUPER DUPLEX

\*Other grades are available under request

**DESIGN & ENGINEERING** 



**CUSTOM MANUFACTURING** 




**TESTING & CERTIFICATION** 











# **COMPACT FLANGES**

# PIPING EQUIPMENT



**DESIGN & ENGINEERING** 



**CUSTOM MANUFACTURING** 



**TESTING & CERTIFICATION** 



# **CUSTOM-MADE PRODUCTS**

#### **TYPES**

COMPACT FLANGES NORSOK L-005 / ISO 27509

Welding Neck / Blind / Integral / Rigid Interface / Paddle Blank / Spades / Reducing Threaded

#### SIZES & RATING

NORSOK L-005 / ISO 27509 4in to 48in - Class 150 to 2500

\*\*Custom dimensions for special load cases conditions under request

#### **DESIGN CODES**

NORSOK L-005 Compact Flanged Connections

ISO 27509 Compact Flanged Connections with IX Seal Rings

#### **MATERIALS**

ASTM A694 F42 / F52 / F60 / F65 / F70

ASTM A350 LF2 Classes 1 and 2 / LF1 to LF9

ASTM A105

NORSOK M-630

ASTM A182 F316 / 316L / F304 / 304L


ASTM A182 F51 / F53 / F55 / F5 / F9 / F11 / F22 / F91


ASME IX / DNV-OS-F101 Corrosion Resistance Overlay (Cladding)

SPECIALS DUPLEX / INCONEL® / SUPER DUPLEX










# SPECIAL PIPING COMPONENTS

# PIPING EQUIPMENT

# **CUSTOM-MADE PRODUCTS**



**DESIGN & ENGINEERING** 



**CUSTOM MANUFACTURING** 



**TESTING & CERTIFICATION** 



#### **TYPES**

#### SPECIAL PIPING COMPONENTS

Spool Adapter Flanges / Nozzles / Anchor Flanges / Forged Barred Tee / Elbows ...

#### SIZES & RATING

Various sizes and pressure ratings available under request

#### **DESIGN CODES**

ASME B16.11 Forged Fittings, Socket-Welding and Threaded

ASME B16.5 Pipe Flanges and Flanged Fittings

API 6A Specification for Subsea Wellhead and Tree Equipment

NORSOK L-005 Compact Flanged Connections

#### **MATERIALS**

ASTM A694 F42 / F52 / F60 / F65 / F70

ASTM A350 LF2 Classes 1 and 2 / LF1 to LF9

ASTM A105

API 6A 36K / 45K / 60K / 75K

NORSOK M-630

ASTM A182 F316 / 316L / F304 / 304L


ASTM A182 F51 / F53 / F5 / F9 / F11 / F22 / F91


ASME IX / DNV-OS-F101 Corrosion Resistance Overlay (Cladding)

SPECIALS DUPLEX / INCONEL ® / SUPER DUPLEX











# PIPE SPOOLS

# PIPING EQUIPMENT



#### **DESIGN & ENGINEERING**



**CUSTOM MANUFACTURING** 



**TESTING & CERTIFICATION** 



# **CUSTOM-MADE PRODUCTS**

#### **TYPES**

SPECIAL PIPE SPOOLS

Designed according to customers technical requirements

#### SIZES & RATING

Various sizes and pressure ratings available under request

#### **DESIGN CODES**

ASME B16.5 Pipe Flanges and Flanged Fittings

API 6A Specification for Subsea Wellhead and Tree Equipment

NORSOK L-005 Compact Flanged Connections

BS EN 1092-1 Circular flanges for pipes, valves, fittings and accessories

ASME VIII Div 2 Rules for Construction of Pressure Vessels
DNVGL-RP-D101 Structural analysis of piping systems

ASME B31.3 Process Piping

#### **MATERIALS**

ASTM A694 F42 / F52 / F60 / F65 / F70

ASTM A350 LF2 Classes 1 and 2 / LF1 to LF9

API 6A 36K / 45K / 60K / 75K


EN 10219 S235 / S275 / S355 / S420 / ...


API 5L X42 to X80

SPECIALS DUPLEX / INCONEL ® / SUPER DUPLEX











# STRUCTURAL CLAMPS

STEEL STRUCTURES



**DESIGN & ENGINEERING** 



**CUSTOM MANUFACTURING** 



**TESTING & CERTIFICATION** 



# **CUSTOM-MADE PRODUCTS**

#### **TYPES**

STRUCTURAL CLAMPS, designed according to customers technical requirements Our clamps can be adapted to be ROV operated for subsea applications.

#### SIZES & RATING

Various sizes and load capacities available under request

#### **DESIGN CODES**

Rules for Construction of Pressure Vessels ASME VIII Div 2 DNVGL-RP-D101 Structural analysis of piping systems

DNVGI-ST-F101 Submarine pipeline systems

API 6A Specification for Subsea Wellhead and Tree Equipment

Specification for Drill-through Equipment API 16A

#### **MATERIALS**


EN10025 / EN 10210 / EN 10219 S235 / S275 / S355 / S420 / ... ASTM A350 LF2 Classes 1 and 2 / LF1 to LF9


ASTM A694 F52 / F60 AISI 4130 / 4140 API 5I X42 to X80

**SPECIALS DUPLEX / INCONEL® / SUPER DUPLEX** 










# SPREADER BARS & FRAMES

# STEEL STRUCTURES



# **CUSTOM-MADE PRODUCTS**

#### **TYPES**

LIFTING SPREADER BARS AND SPREADER FRAMES

Custom designed according to customers requirements

#### SIZES & RATING

Various sizes and load capacities available under request

#### **DESIGN CODES**

API 2A WSD Constructing Fixed Offshore Platforms-Working Stress Design

API RP 2RD Design of Risers for Floating Production Systems
AISC Code of Standard Practice for Steel Buildings


DNVGL-OS-C101 Design of offshore steel structures

EN 1993 EUROCODE 3 Design of Steel Structures

#### **MATERIALS**

\*Other grades are available under request

**DESIGN & ENGINEERING** 



**CUSTOM MANUFACTURING** 





**TESTING & CERTIFICATION** 












# **CUSTOM STEEL STRUCTURES**

STEEL STRUCTURES

# **CUSTOM-MADE PRODUCTS**



#### **TYPES**

#### **CUSTOM DESIGNED STEEL STRUCTURES**

Seafastening / Fabrication Aids / Transportation Frames / Mudmats / Platforms / ...

#### SIZES & RATING

Various sizes and load capacities available under request

#### **DESIGN CODES**

API 2A WSD Constructing Fixed Offshore Platforms-Working Stress Design

API RP 2RD Design of Risers for Floating Production Systems Code of Standard Practice for Steel Buildings AISC

DNVGL-OS-C101 Design of offshore steel structures


EN 1993 EUROCODE 3 **Design of Steel Structures** 

#### **MATERIALS**

EN10025 / EN 10210 / EN 10219 S235 / S275 / S355 / S420 / ...

\*Other grades are available under request

**DESIGN & ENGINEERING** 



**CUSTOM MANUFACTURING** 




**TESTING & CERTIFICATION** 













# STANDARD FLANGES

# **DISTRIBUTION**



#### **DESIGN & ENGINEERING**



#### **CUSTOM MANUFACTURING**



**TESTING & CERTIFICATION** 



# DISTRIBUTION & ACCESSORIES

#### **TYPES**

WELDING NECK – BLIND - THREADED
LAPPED – SLIP ON
ORIFICE FLANGES – LONG WELDING NECK

#### SIZES & RATING

ASME B16.5 / ASME B16.47 1/2in to 60in - Class 150 to 2500

API 6A 1 13/16in to 21 1/4in – 2000 PSI to 20000 PSI

NORSOK L-005 / ISO 27509 4in to 48in – Class 150 to 2500

BS EN 1092-1 DN10 to DN2000 – PN 2,5 to PN 400

#### **DESIGN CODES**

ASME B16.5 Pipe Flanges and Flanged Fittings
ASME B16.47 Large Diameter Steel Flanges

API 6A Specification for Subsea Wellhead and Tree Equipment

NORSOK L-005 Compact Flanged Connections

BS EN 1092-1 Circular flanges for pipes, valves, fittings and accessories

#### MATERIALS

ASTM A694 F42 / F52 / F60 / F65 / F70 ASTM A350 LF2 Classes 1 and 2 / LF1 to LF9

ASTM A105 NORSOK M-630


API 6A API 6A – 36K / 45K / 60K / 75K

ASTM A182 F316 / F304 / F22

ASME IX / DNV-OS-F101 Corrosion Resistance Overlay (Cladding)
SPECIALS DUPLEX / INCONEL ® / SUPER DUPLEX










# FITTINGS & PIPING

## **DISTRIBUTION**



#### **DESIGN & ENGINEERING**



#### **CUSTOM MANUFACTURING**



**TESTING & CERTIFICATION** 



# **DISTRIBUTION & ACCESSORIES**

#### WROUGHT BUTT WELD FITTINGS

#### TYPES:

ELBOWS: 45°, 90° & 180°, Short Radius (R=1D), Long Radius (R=1.5D), R=3D & R=5D TEEs: Equals & Reducing Tees / REDUCERS: Concentric & Eccentrics / CAPS

#### CODES:

ASME B16.9 - ASME B16.28 - MSS SP 43/75 - BS1640- BS1965

#### SIZES:

from 1/2 in to 48in

#### **MATERIALS:**

ASTM A234 WPB / A860 WPHY 52 to 65 / MSS SP75 WPHY 52 to 65 / A420 WPL3 to WPL6 ASTM A234 WP5-WP1-WP11-WP22-WP9-WP91 ASTM A403 WP304-WP316-WP321-WP347

#### FORGED FITTINGS

#### TYPES:

ELBOWS: 45°, 90° & 180°, Male-Female Elbows, Union elbows TEEs: Equals & Reducing Tees / CAPS / PLUGS / UNIONS / HEX HEAD BUSHINGS COUPLINGS / HALF COUPLINGS / COUPLINGS TYPE HAMMER® - WECO ®

#### CODES:

ASME B16.11, BS1740, BS3799, MSS SP 79/95/97

#### SIZES:


from 1/8 in to 4in


#### MATERIALS:

ASTM A694 F52 to F65 / ASTM A350 / ASTM A150 ASTM A182 - F304 - F316 - F321 - F 347 - F51 - F53 - F55 - F5 - F9 - F11 - F22 - F91 ASTM A234 WP5 - WP1 - WP11 - WP22 - WP9 - WP91









# **GASKET INSTALLATION TOOL**

# **ACCESSORIES**





#### **TYPES**

GASKET INSTALLATION TOOL for ASME Flanges: R - RX - BX GASKET INSTALLATION TOOL for API Flanges: R - RX - BX - SBX

#### SIZES & RATING

ASME B16.5 / ASME B16.47 4in to 60in - Class 150 to 2500

API 6A 1 13/16in to 21 1/4in - 2000 PSI to 20000 PSI

#### **DESIGN CODES**

**ASME B16.5** Pipe Flanges and Flanged Fittings Large Diameter Steel Flanges **ASMF B16.47** 


API 6A Specification for Subsea Wellhead and Tree Equipment

#### **MATERIALS**

**CARBON STEEL** STAINLESS STEEL **ALUMINIUM** 

\*Other grades are available under request

**DESIGN & ENGINEERING** 



**CUSTOM MANUFACTURING** 




**TESTING & CERTIFICATION** 












# SPECTACLE BLINDS / SPADES

# **ACCESSORIES**

# DISTRIBUTION & ACCESSORIES



#### **DESIGN & ENGINEERING**



**CUSTOM MANUFACTURING** 



**TESTING & CERTIFICATION** 



#### **TYPES**

SPECTABLE BLINDS - LINE SPADES & SPACERS - SPECTACLE BLINDS FOR RTJ FLANGES LINE BLIND FEMALE TYPE WITH RTJ GROOVE - REVERSIBLE SPADES FOR RTJ FLANGES LINE BLINDS MALE TYPE FOR RTJ FLANGES **NORSOK PADDLE & SPACER** 

#### SIZES & RATING

ASME B16.5 / ASME B16.47	4in to 60in — Class 150 to 2500
ΔΡΙ 6Δ	1 13/16in to 21 1/4in - 2000 PSI to 20000 F

4in to 48in - Class 150 to 2500 NORSOK L-005

#### **DESIGN CODES**

ASME B16.5	Pipe Flanges and Flanged Fittings
ASME B16.47	Large Diameter Steel Flanges

**ASME B16.48** Line Blanks

API 6A Specification for Subsea Wellhead and Tree Equipment

API 590 Steel Line Blanks

NORSOK L-005 **Compact Flanged Connections** 

#### **MATERIALS** ASTM A694


ASTM A350	
ASTM A105	
API 6A	36K / 45K
ASTM A182	F316 / 316L / F304 / 304L


**SPECIALS DUPLEX / INCONEL® / SUPER DUPLEX** 

F42 / F52









# RING JOINT GASKETS

ACCESSORIES





#### **TYPES**

Ring Joint Gaskets for ASME Flanges: TYPE: R - RX - BX Ring Joint Gaskets for API Flanges: TYPE: R - RX - BX - SBX

Ring Joint Gaskets for NORSOK Flanges: TYPE: IX

Gaskets for Raised Face Flanges: TYPE: Flat Gasket – Spiral wound gasket

#### SIZES & RATING

4in to 60in - Class 150 to 2500 ASME B16.5 / ASME B16.47

API 6A 1 13/16in to 21 1/4in - 2000 PSI to 20000 PSI

NORSOK L-005 4in to 48in - Class 150 to 2500 **ASMF B16.21** 1/2in to 24in - Class 150 to 2500

#### **DESIGN CODES**

Pipe Flanges and Flanged Fittings **ASME B16.5 ASME B16.47** Large Diameter Steel Flanges


API 6A Specification for Subsea Wellhead and Tree Equipment

NORSOK I-005 **Compact Flanged Connections** 

**ASME B16.21** Nonmetallic Flat Gaskets for Pipe Flanges

MSS-SP-44 Steel Pipeline Flanges

#### **DESIGN & ENGINEERING**



#### **CUSTOM MANUFACTURING**



**TESTING & CERTIFICATION** 



#### **MATERIALS**

CARBON STEEL Soft Iron / Low Carbon Steel


STAINLESS STEEL 316 / 304

**SPECIAL GRADES DUPLEX / INCONEL ® / SUPER DUPLEX** 

COATING Zinc Plated / PTFE Coated / Xylan® / Fluoropolymer










# SPECIAL BOLTING

## ACCESSORIES



#### **DESIGN & ENGINEERING**



#### **CUSTOM MANUFACTURING**



#### **TESTING & CERTIFICATION**



# **DISTRIBUTION & ACCESSORIES**

#### **TYPES**

STUD BOLTS & HEX NUTS - ASME B18.2.1 / ASME B18.2.2

API 6A BOLTING - PSI 1 / PSI 2 / PSI 3 / PSI 4 - BSI -1/BSI -2/BSI -3

NORSOK L-005 BOLTING - Manufactured in accordance with NORSOK M650 / NORSOK M630

HEX NUTS WITH TOMMY BAR HOLES - For Hydraulic Bolt Tensioner applications

BOLTS / SCREWS / NUTS / WASHERS - DIN 933 / ISO4017 / DIN 931 / ISO4014 / DIN 558 / ISO4018 / DIN-EN14339 / DIN 912 / ISO 4762 / DIN 934 / ISO 4032 / DIN 125 / ISO 7089

#### SIZES & RATING

1/4in to 4in – all lengths

#### **DESIGN CODES**

Pipe Flanges and Flanged Fittings **ASME B16.5** 

ASMF VIII Div.2 Rules for Construction of Pressure Vessels

API 6A Specification for Subsea Wellhead and Tree Equipment

**API 20F** Alloy and Carbon Steel Bolting API 20F **Corrosion Resistant Bolting** NORSOK L-005 **Compact Flanged Connections** 

#### **MATERIALS**

www.wbr-energies.com

**ASTM A193/A193M** Grades: B7 / B7M / B8 / B8M / B16


ASTM A320/A320M Grades: L7 / L7M / B8 / B8M

DIN 931/DIN 933 Grades: 4.6 / 4.8 / 5.6 / 5.8 / 8.8 / 10.9 / 12.9

COATING Zinc Plated / Hot dip Galvanized / PTFE / Xylan® / Zintek® / Delta Protekt® / Fluoropolymer coated









# THANKYOU! MERCI! OBRIGADO! GRAZIE!

# Contact Us



Phone

+33 (0) 1 82 36 00 33



**Email** 

contact@wbr-energies.com



Location

1401 Av. de la Grande Halle 78200 Buchelay, France

